


MSDS - Material Safety Data Sheet**Product Name: Pipe Thread Compound****MSDS No.: 029035****Part Numbers Covered:**

025200-12 028010-12 028040 028118-144 028186 028285 029035-D 029044
 025200-48 028010-144 028045-D 028120 028198-12 029015 029036 029045
 025291 028010-48 028050-144 028125 028225 029017 029037 029047
 028005-12 028015-12 028050-C 028126 028231 029018 029038 029048
 028005-144 028020-144 028075-12 028130 028232 029020 029039-D 029049
 028005-48 028025-144 028075-144 028140-12 028240 029022 029040 029050
 028005-C 028030-144 028075-48 028140-144 028269 029030 029041 029051
 028005-D 028035-144 028110 028140-48 028271 029034 029042 029053
 028006-48 028035-C 028115-144 028155 028280 029035 029043 029065

I. Basic Information:

Manufacturer: WILLIAM H. HARVEY COMPANY
Address: 4334 SOUTH 67TH STREET
City, ST Zip: OMAHA, NE 68117-1019

Last Update: 7/8/2002**Chemical State:** Liquid Gas Solid**Chemical Type:** Pure Mixture

1	Health
1	Flammability
0	Reactivity
	Pers. Protection

II. Ingredients:

CAS No.	Chemical Name	% Range	EHS	NTP	IARC	SUB Z	SARA 313	OSHA PEL	ACGIH TLV	Other Limits
68649956	LINSEED OIL	NI						10 MG/M ³	10	NI
64742525	LUBRICATING OIL	NI						5 MG/M ³	5 MG/M ³	NI
64741522	NAPHTHENIC MINERAL OIL	NI						5 MG/M ³	5 MG/M ³	NI

III. Hazardous Identification:**Hazard Category:**

Acute Chronic Fire Pressure Reactive

Hazardous Identification Information:

NI

IV. First Aid Measures:**Route(s) of Entry:**

INHALATION, SKIN

Health Hazards (Acute and Chronic):

ACUTE

Signs and Symptoms:

PROLONGED OR REPEATED CONTACT MAY CAUSE MILD SKIN IRRITATION. INHALATION MAY CAUSE DIZZINESS, HEADACHE AND RESPIRATION IRRITATION.

MSDS - Material Safety Data Sheet

Product Name: *Pipe Thread Compound*

MSDS No.: 029035

Medical Conditions Generally Aggravated by Exposure:

PROLONGED OR REPEATED LIQUID CONTACT WITH SKIN MAY DRY AND DEFAT THE SKIN, LEADING TO IRRITATION AND DERMATITIS, INHALATION OF FUMES IN HIGH CONCENTRATION MAY RESULT IN DIZZINESS, HEADACHE, RESPIRATORY IRRITATION OF UNCONSCIOUSNESS.

Emergency and First Aid Procedures:

EMERGENCY FIRST AID CALL: 1-303-623-5716 COLLECT

IF OVERCOME BY FUMES, REMOVE FROM EXPOSURE IMMEDIATELY AND CALL A PHYSICIAN. IF INGESTED, DO NOT INDUCE VOMITING, CALL A PHYSICIAN. EYES: FLUSH IMMEDIATELY WITH COLD WATER AND CALL A PHYSICIAN.

SKIN: WASH EXPOSED AREA WITH SOAP AND WATER

Other Health Warnings:

NI

V. Fire Fighting Measures:

Flash Point: 430 F DEG

Lower Explosive Limit: NI

Upper Explosive Limit:

Fire Extinguishing Media: DRY CHEMICAL, CARBON DIOXIDE, AND FOAM

Special Fire Fighting Procedures:

RECOMMEND SELF-CONTAINED BREATHING APPARATUS

Unusual Fire and Explosion:

NONE. PRODUCT IS MODERATE FIRE RISK

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

SCOOP UP MATERIAL AND PLACE IN TRASH CONTAINER. WASH DOWN WITH SOAP AND WATER.

VII. Handling and Storage:

Precautions to be Taken:

NO SPECIAL PROTECTION; KEEP AWAY FROM ACIDS AND EXTREME HEAT.

Other Precautions:

KEEP OUT OF REACH OF CHILDREN AND PETS

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

AS NECESSARY TO PREVENT VAPOR BUILDUP

Personal Protective Equipment:

USE CLEAN CLOTHES OR APRON. MINIMIZE EXPOSURE AND ALWAYS WASH WHEN EXPOSED.

MSDS - Material Safety Data Sheet

Product Name: Pipe Thread Compound

MSDS No.: 029035

XVI. Other Information:

ABBREVIATIONS:

N/A = NOT APPLICABLE N/I = NONE INDICATED NDA = NO DATA AVAILABLE
N/E = NOT ESTABLISHED C = CELSIUS DEGREES F = FAHRENHEIT DEGREES

DISCLAIMER:

THE INFORMATION HEREIN HAS BEEN COMPILED FROM SOURCES BELIEVED TO BE RELIABLE, UP-TO-DATE, AND IS ACCURATE TO THE BEST OF OUR KNOWLEDGE. HOWEVER, WILLIAM H. HARVEY COMPANY CANNOT GIVE ANY GUARANTEES REGARDING INFORMATION FROM OTHER SOURCES, AND EXPRESSLY DOES NOT MAKE WARRANTIES, NOR ASSUMES ANY LIABILITY FOR ITS USES.