

MATERIAL SAFETY DATA SHEET: DOUBLE ACTION

Section I - General Information

(000000-000000- - 0316)

Date of Issue: 10/1/2007 12:00:00 AM
Chemical Name & Synonyms: N/A
Chemical Family: AQUEOUS BACTERIAL SUSPENSION
Manufacturer Name: CERTIFIED LABS, DIV. OF NCH CORP.
Manufacturer Address: BOX 152170 IRVING, TEXAS 75015
Prepared By: M MCDOWELL/CHEMIST

Supercedes: 5/31/2007 12:00:00 AM
Trade Name & Synonyms: DOUBLE ACTION
Formula is a mixture: [V]

Product Code Number: 0316
Emergency Phone Number: 800-424-9300

Section II - Hazardous Ingredients

THE HAZARDS PRESENTED BELOW ARE THOSE OF THE INDIVIDUAL COMPONENTS

Table with 6 columns: Chemical Name (Ingredients), Hazard, TLV, PEL, STEL, CAS #. Rows include Sodium Chloride and Bacterial Spores.

Section III - Physical Data

Boiling Point (°F):210
Vapor Pressure (mm Hg):18
Vapor Density (Air=1):0.6
pH @ 100% :9
% Volatile by Volume:98
H2O Solubility:COMPLETE
Specific Gravity (H2O=1):1.04
Color:TAN-WHITE
Odor:CHERRY-VANILLA
Clarity:OPAQUE
Evaporation Rate (BuAc=1):0.1
Viscosity:NON-VISCOUS

Section IV - Fire and Explosion Hazard

Flash Point: >200°F
Flammable Limits: N/A
LEL: N/A
Method Used: SETAFLASH
UEL: N/A
Aerosol Level (NFPA 30B): N/A

Extinguishing Media: [V] Foam, [V] Alcohol Foam, [V] CO2, [V] Dry Chemical, [V] Water Spray, [ ] Other

NFPA 704 Hazard Rating: 4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Insignificant. Health: 2, Flammability: 1, Instability: 0, Special:

Special Fire Fighting Procedures: FIREFIGHTERS SHOULD WEAR A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. EXTINGUISHING MEDIA SHOULD BE CHOSEN BASED ON THE NATURE OF THE SURROUNDING FIRE.

Unusual Fire and Explosion Hazards: THE USE OF WATER SPRAY (FOG) WHILE EFFECTIVE, MAY CAUSE FROTHING AND FOAMING. NEVER USE A WATER JET AS THIS WILL JUST SPREAD THE FIRE. USE CARE AS SPILLS MAY BE SLIPPERY.

Section V - Health and Hazard Data

Threshold Limit Value: NOT ESTABLISHED.

Effects of Overexposure:

Acute: (Short Term Exposure) EYE CONTACT: CAUSES IRRITATION SEEN AS REDNESS AND TEARING. SKIN CONTACT: MAY CAUSE IRRITATION SEEN AS ITCHING AND REDNESS. WHILE THE BACTERIA IN THIS PRODUCT ARE NON-PATHOGENIC, CONTACT WITH OPEN SORES OR CUTS CAN CAUSE OPPORTUNISTIC INFECTIONS IN IMMUNO-SUPPRESSED INDIVIDUALS.

Chronic: (Long Term Exposure) CHRONIC OVEREXPOSURE BY INGESTING SODIUM CHLORIDE CAUSES ELEVATED BLOOD PRESSURE. MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE ARE PRE-EXISTING RESPIRATORY AND SKIN CONDITIONS SUCH AS ASTHMA, EMPHYSEMA, AND DERMATITIS.

Primary Routes of Entry: [ ] Inhalation, [ ] Ingestion, [ ] Absorption

Emergency First Aid Procedures:

Inhalation: REMOVE FROM THE AREA TO FRESH AIR. IF NOT BREATHING, CLEAR THE AIRWAY AND START MOUTH TO MOUTH ARTIFICIAL RESPIRATION. GET IMMEDIATE MEDICAL ATTENTION.

Eye Contact: RINSE THE EYES WITH WATER. REMOVE ANY CONTACT LENSES AND CONTINUE FLUSHING WITH PLENTY OF WATER FOR SEVERAL MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION DEVELOPS.

Skin Contact:

# MATERIAL SAFETY DATA SHEET: DOUBLE ACTION

WASH AFFECTED AREAS WITH PLENTY OF SOAP AND WATER FOR SEVERAL MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION DEVELOPS.

## Ingestion:

GIVE 3 TO 4 GLASSES OF WATER, BUT DO NOT INDUCE VOMITING. IF VOMITING OCCURS, GIVE FLUIDS AGAIN. SEEK MEDICAL ATTENTION IF DISCOMFORT OCCURS.

## Notes to Physician:

THE BACTERIA IN THIS PRODUCT IS NOT NORMALLY PATHOGENIC; BUT AS WITH ANY BACTERIA, OPPORTUNISTIC INFECTIONS IN IMMUNOCOMPROMISED INDIVIDUALS CAN OCCUR FOLLOWING EXPOSURE TO BROKEN SKIN OR BY INHALATION OF THE MIST.

## Section VI - Toxicity Information

Product Contains Chemicals Listed as Carcinogen or Potential Carcinogen By:

IARC                       NTP                       OSHA                       ACGIH                       Other

VOC CONTENT: 1.2% BY WEIGHT; 1.5% BY VOLUME, 0.9 G/L

SODIUM CHLORIDE

IHL-RAT LC<sub>50</sub>: >42 GM/M<sup>3</sup>/1H 4.

ORL-RAT LD<sub>50</sub>: 3000 MG/KG 4.

SKN-RBT LD<sub>50</sub>: >10 GM/KG 4.

SKN-RBT SDT: 500 MG/24H MILD 4.

EYE-RBT SDT: 100 MG/24H MODERATE 4.

BACTERIAL SPORES

NO TOXICITY DATA AVAILABLE

## Section VII - Reactivity Data

### Stability

Stable                       Unstable

### Conditions to Avoid:

AVOID EXTREME TEMPERATURES.

### Hazardous Polymerization

Will not occur                       May occur

### Conditions to Avoid:

N/A

### Incompatibility (Materials to Avoid):

STRONG OXIDIZING AGENTS SUCH AS CHLORINE BLEACH AND CONCENTRATED HYDROGEN PEROXIDE; ALDEHYDES, ALKANOLAMINES, AMINES, BROMINE TRIFLUORIDE, CAUSTICS, CHLORINATED COMPOUNDS, DICHLOROMALEIC ANHYDRIDE WITH UREA AND LITHIUM, AND DISINFECTANTS.

### Hazardous Decomposition Products:

OXIDES OF CARBON AND NITROGEN; FUMES OF CHLORINE AND SODIUM OXIDE.

## Section VIII - Spill Or Leak Procedures

### Steps to be Taken if Material is Released or Spilled:

WEAR APPROPRIATE PROTECTIVE CLOTHING. USE CARE AS SPILLS MAY BE SLIPPERY. VENTILATE THE AREA. DIKE AND CONTAIN SPILL. ABSORB WITH AN INERT MATERIAL AND TRANSFER ALL MATERIAL INTO A PROPERLY LABELED CONTAINER FOR DISPOSAL. PREVENT PRODUCT FROM CONTAMINATING SOIL OR FROM ENTERING SEWAGE AND DRAINAGE SYSTEMS AND BODIES OF WATER. FLUSH AREA WITH WATER.

### Waste Disposal Method(s):

DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE, AND LOCAL REGULATIONS.

### Neutralizing Agent:

N/A

## Section IX - Special Protection Information

### Required Ventilation:

GENERAL VENTILATION IS NORMALLY ADEQUATE. LOCAL VENTILATION IS RECOMMENDED TO CONTROL EXPOSURE FROM OPERATIONS THAT CAN GENERATE EXCESSIVE LEVELS OF MISTS. LOCAL VENTILATION IS PREFERRED, BECAUSE IT PREVENTS DISPERSION INTO WORK AREAS BY CONTROLLING IT AT ITS SOURCE.

### Respiratory Protection:

NONE REQUIRED UNDER NORMAL CONDITIONS OF USE. RESPIRATORS SHOULD BE SELECTED BY AND USED UNDER THE DIRECTION OF A TRAINED HEALTH AND SAFETY PROFESSIONAL FOLLOWING REQUIREMENTS FOUND IN OSHA'S RESPIRATOR STANDARD (29 CFR 1910.134) AND ANSI'S STANDARD FOR RESPIRATORY PROTECTION (Z88.2-1992). FOR CONCENTRATIONS ABOVE THE TLV AND/OR PEL BUT LESS THAN 10 TIMES THESE LIMITS, A NIOSH APPROVED HALF-FACEPIECE RESPIRATOR EQUIPPED WITH APPROPRIATE CHEMICAL CARTRIDGES MAY BE USED. FOR CONCENTRATIONS GREATER THAN 10 TIMES THE TLV AND/OR PEL, CONSULT THE NIOSH RESPIRATOR DECISION LOGIC FOUND IN PUBLICATION NO. 87-116 OR ANSI Z88.2-1992.

### Glove Protection:

NEOPRENE OR NITRILE RUBBER GLOVES IF REPEATED OR PROLONGED SKIN CONTACT IS LIKELY. ENSURE COMPLIANCE WITH OSHA'S PERSONAL PROTECTIVE EQUIPMENT (PPE) STANDARD FOR HAND PROTECTION, 29 CFR 1910.138.

### Eye Protection:

SAFETY GLASSES WITH SIDE SHIELDS IF THE METHOD OF APPLICATION PRESENTS THE LIKELIHOOD OF EYE CONTACT. ENSURE COMPLIANCE WITH OSHA'S PERSONAL PROTECTIVE EQUIPMENT (PPE) STANDARD FOR EYE AND FACE PROTECTION, 29 CFR 1910.133.

### Other Protection:

WEAR GENERAL-DUTY WORK CLOTHES AND SHOES. A SAFETY SHOWER AND AN EYEWASH STATION SHOULD BE AVAILABLE.

## Section X - Storage and Handling Information

### Storage Temperature

Max: 104°F                      Min: 35°F

### Storage Conditions

Indoors                       Outdoors                       Heated                       Refrigerated

### Precautions to be Taken in Handling and Storing:

ALWAYS STORE MATERIAL IN ITS ORIGINAL CONTAINER. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. DO NOT ALLOW PRODUCT TO FREEZE.

### Other Precautions:

DO NOT USE IN CONJUNCTION WITH BLEACH OR OTHER HOUSEHOLD DISINFECTANTS AS THEY MAY INACTIVATE THIS PRODUCT. KEEP OUT OF REACH OF CHILDREN. READ THE ENTIRE LABEL BEFORE USING THE PRODUCT. FOLLOW THE LABEL DIRECTIONS.

**Section XI - Regulatory Information**

<u>Chemical Name</u>	<u>CAS Number</u>	<u>Upper % Limit</u>
None.		

Those Ingredients listed above are subject to the reporting requirements of 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372.

Please call 1-800-527-9919 for additional information if you are a California customer. This MSDS is not intended for users in the state of California.

**Section XII - References**

1. THRESHOLD LIMIT VALUES FOR CHEMICAL SUBSTANCES AND PHYSICAL AGENTS AND BIOLOGICAL EXPOSURE INDICES, ACGIH, 2006.
  2. OSHA PEL.
  3. VENDOR'S MSDS.
  4. REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES, CCINFOWeb, 2007.
  5. EUROPEAN CHEMICAL SUBSTANCES INFORMATION SYSTEM (ESIS) INTERNATIONAL UNIFORM CHEMICAL INFORMATION DATABASE (IUCLID) CHEMICAL DATA SHEETS.
- ALL THE COMPONENTS OF THIS PRODUCT ARE IN COMPLIANCE WITH THE TOXIC SUBSTANCES CONTROL ACT (TSCA) AND ARE EITHER LISTED ON THE TSCA INVENTORY OR OTHERWISE EXEMPTED FROM LISTING.

-----  
 IRR: IRRITANT, OSHA: OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION, IARC: INTERNATIONAL AGENCY FOR THE RESEARCH ON CANCER, TOX: TOXIC, NFPA: NATIONAL FIRE PROTECTION ASSOCIATION, PPM: PARTS PER MILLION, UEL: UPPER EXPLOSION LIMIT, STEL: SHORT-TERM EXPOSURE LIMIT, SKN: SKIN, IHL: INHALATION, COMB: COMBUSTIBLE, CORR: CORROSIVE, MUT: MUTAGENIC, CARC: CARCINOGENIC, N/A: NOT APPLICABLE, TLV: THRESHOLD LIMIT VALUE, N/E: NOT ESTABLISHED, ORL: ORAL, FLAM: FLAMMABLE, ASPHYX: ASPHYXANT, COC: CLEVELAND OPEN CUP, PNOR: PARTICLES NOT OTHERWISE REGULATED, LEL: LOWER EXPLOSION LIMIT, PNO: PARTICLES NOT OTHERWISE SPECIFIED, PMCC: PENSKY-MARTIN CLOSED CUP, NTP: NATIONAL TOXICOLOGY PROGRAM, TCC: TAGLIABUE CLOSED CUP, SEV: SEVERE, RBT: RABBIT, INV: INTRAVENOUS, ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS, PEL: PERMISSIBLE EXPOSURE LIMIT, MOD: MODERATE, IPT: INTRAPERITONEAL, GM/KG: GRAMS PER KILOGRAM, C.C.C.: CLEVELAND CLOSED CUP, HMN: HUMAN, MG/M3: MILLIGRAMS PER CUBIC METER, MG/KG: MILLIGRAMS PER KILOGRAM, VOC: VOLATILE ORGANIC COMPOUND, SDT: STANDARD DRAIZE TEST, MSE: MOUSE, GPG: GUINEA PIG.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE IN LIGHT OF CURRENT FORMULATION. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

CERTIFIED LABS, DIV. OF NCH CORP. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage, or disposal of the product.

©2008 [NCH Corporation](#) All rights reserved.