



# Safety Data Sheet

Issue Date: 27-Dec-2011

Revision Date: 11-Jun-2018

Version 4

## 1. IDENTIFICATION

### Product Identifier

**Product Name** Buckeye Glint

### Other means of identification

**SDS #** BE-5509

**Product Code** 5509  
**UN/ID No** UN1950

### Recommended use of the chemical and restrictions on use

**Recommended Use** Aerosol Stainless Steel Cleaner.

### Details of the supplier of the safety data sheet

#### Supplier Address

Buckeye International, Inc.  
2700 Wagner Place  
Maryland Heights, MO 63043 USA

### Emergency Telephone Number

**Company Phone Number** 1-651-632-8956 (International)  
1-800-303-0441 (North America)  
**Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Milky white spray                      **Physical state** Aerosol                      **Odor** Odorless

### Classification

Germ cell mutagenicity	Category 1B
Reproductive toxicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 1
Aspiration toxicity	Category 1
Gases Under Pressure	Compressed Gas
Flammable Aerosols	Category 1

### Signal Word

**Danger**

### Hazard statements

May cause genetic defects  
Suspected of damaging fertility or the unborn child  
Causes damage to organs through prolonged or repeated exposure  
May be fatal if swallowed and enters airways  
Contains gas under pressure; may explode if heated  
Extremely flammable aerosol



#### **Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Do not breathe dust/fume/gas/mist/vapors/spray  
 Wash face, hands and any exposed skin thoroughly after handling  
 Do not eat, drink or smoke when using this product  
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking  
 Do not spray on an open flame or other ignition source  
 Pressurized container: Do not pierce or burn, even after use

#### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention  
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
 Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up  
 Protect from sunlight. Store in a well-ventilated place  
 Do not expose to temperatures exceeding 50 °C/122 °F

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Petroleum Distillates, Hydrotreated light	64742-47-8	10
Octamethylcyclotetrasiloxane	556-67-2	<10
N-Butane	106-97-8	<7
Stoddard solvent	8052-41-3	5
Propane	74-98-6	<4

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST AID MEASURES

#### **First Aid Measures**

<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If irritation develops or persists, seek medical attention.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes.
<b>Inhalation</b>	Remove to fresh air.
<b>Ingestion</b>	Immediately call a poison center or doctor/physician. Do NOT induce vomiting.

**Most important symptoms and effects**

<b>Symptoms</b>	Causes damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.
-----------------	---

**Indication of any immediate medical attention and special treatment needed**

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Carbon dioxide (CO<sub>2</sub>). Foam. Dry chemical. Water spray (fog).

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Extremely flammable aerosol. Do not expose to temperatures exceeding 50 °C/122°F. In a fire or if heated, a pressure increase will occur and the container may burst.

**Hazardous Combustion Products** Carbon oxides.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Use personal protective equipment as required.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Pick up with mop or absorbent material. Clean area with detergent solution followed by a clear water rinse. Allow floor to dry before allowing traffic. Dispose of contents/container to an approved waste disposal plant.

**7. HANDLING AND STORAGE****Precautions for safe handling**

**Advice on Safe Handling** Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wash face, hands and any exposed skin thoroughly after handling. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

**Conditions for safe storage, including any incompatibilities**

<b>Storage Conditions</b>	Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep locked up and out of reach of children. Store away from heat, sparks, flame. Protect from freezing. Do not puncture or incinerate container. Do not expose to temperatures exceeding 50 °C/122°F. Avoid food contamination.
<b>Incompatible Materials</b>	Acids. Strong alkalis. Heavy metal salts.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
N-Butane 106-97-8	STEL: 1000 ppm explosion hazard	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	IDLH: 1600 ppm TWA: 800 ppm TWA: 1900 mg/m <sup>3</sup>
Stoddard solvent 8052-41-3	TWA: 100 ppm	TWA: 500 ppm TWA: 2900 mg/m <sup>3</sup> (vacated) TWA: 100 ppm (vacated) TWA: 525 mg/m <sup>3</sup>	IDLH: 20000 mg/m <sup>3</sup> Ceiling: 1800 mg/m <sup>3</sup> 15 min TWA: 350 mg/m <sup>3</sup>
Propane 74-98-6	: See Appendix F: Minimal Oxygen Content, explosion hazard	TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m <sup>3</sup>	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>

**Appropriate engineering controls**

<b>Engineering Controls</b>	Apply technical measures to comply with the occupational exposure limits.
-----------------------------	---

**Individual protection measures, such as personal protective equipment**

<b>Eye/Face Protection</b>	Risk of contact: Wear approved safety goggles.
<b>Skin and Body Protection</b>	Wear rubber gloves or other impervious gloves.
<b>Respiratory Protection</b>	Refer to 29 CFR 1910.134 for respiratory protection requirements.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly with soap and water after handling.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Physical state</b>	Aerosol	<b>Odor</b>	Odorless
<b>Appearance</b>	Milky white spray	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Milky white		
<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>	
pH	Not determined		
Melting point / freezing point	Not determined		
Boiling Point / Boiling Range	Not determined		
Flash Point	No Flame Extension	ASTM D3065	
Evaporation Rate	Not determined		
Flammability (Solid, Gas)	Not determined		
Flammability Limit in Air			
Upper Flammability Limit	Not determined		
Lower Flammability Limit	Not determined		
Vapor Pressure	Not determined		

<b>Vapor Density</b>	Not determined
<b>Relative Density</b>	0.95 Concentrate
<b>Water Solubility</b>	Not determined
<b>Solubility in other solvents</b>	Not determined
<b>Partition Coefficient</b>	Not determined
<b>Autoignition temperature</b>	Not determined
<b>Decomposition Temperature</b>	Not determined
<b>Kinematic Viscosity</b>	Not determined
<b>Dynamic Viscosity</b>	Not determined
<b>Explosive Properties</b>	Not determined
<b>Oxidizing Properties</b>	Not determined

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous Polymerization**      Hazardous polymerization does not occur.

### Conditions to Avoid

Heat, sparks and open flames.

### Incompatible Materials

Acids. Strong alkalis. Heavy metal salts.

### Hazardous Decomposition Products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Eye Contact</b>	Avoid contact with eyes.
<b>Skin Contact</b>	Avoid contact with skin.
<b>Inhalation</b>	Avoid breathing vapors or mists.
<b>Ingestion</b>	May be fatal if swallowed and enters airways.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum Distillates, Hydrotreated light 64742-47-8	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 5.2 mg/L ( Rat ) 4 h
Octamethylcyclotetrasiloxane 556-67-2	= 1540 mg/kg ( Rat )	= 794 µL/kg ( Rabbit )	= 36 g/m <sup>3</sup> ( Rat ) 4 h
N-Butane 106-97-8	-	-	= 658 g/m <sup>3</sup> ( Rat ) 4 h
Propane 74-98-6	-	-	> 800000 ppm ( Rat ) 15 min

Sodium benzoate 532-32-1	= 4070 mg/kg ( Rat )	-	-
-----------------------------	----------------------	---	---

### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Germ cell mutagenicity** May cause genetic defects.

**Carcinogenicity** Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

**Reproductive toxicity** Suspected of damaging fertility or the unborn child.

**STOT - repeated exposure** Causes damage to organs through prolonged or repeated exposure.

**Aspiration hazard** May be fatal if swallowed and enters airways.

### Numerical measures of toxicity

Not determined

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

### Component Information

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Petroleum Distillates, Hydrotreated light 64742-47-8		2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 45: 96 h Pimephales promelas mg/L LC50 flow-through	4720: 96 h Den-dronereides heteropoda mg/L LC50
Octamethylcyclotetrasiloxane 556-67-2		1000: 96 h Lepomis macrochirus mg/L LC50 500: 96 h Brachydanio rerio mg/L LC50	25.2: 24 h Daphnia magna mg/L EC50
Sodium benzoate 532-32-1		100: 96 h Pimephales promelas mg/L LC50 static 420 - 558: 96 h Pimephales promelas mg/L LC50 flow-through	650: 48 h Daphnia magna mg/L EC50

### Persistence/Degradability

Not determined.

### Bioaccumulation

Not determined.

### Mobility

Chemical Name	Partition Coefficient
Octamethylcyclotetrasiloxane 556-67-2	5.1
N-Butane 106-97-8	2.89
Propane 74-98-6	2.3

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods**

<b>Disposal of Wastes</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.
<b>Contaminated Packaging</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.

**14. TRANSPORT INFORMATION**

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**

<b>UN/ID No</b>	UN1950
<b>Proper Shipping Name</b>	Aerosols
<b>Hazard Class</b>	2.1

**IATA**

<b>UN/ID No</b>	UN1950
<b>Proper Shipping Name</b>	Aerosols, flammable
<b>Hazard Class</b>	2.1

**IMDG**

<b>UN/ID No</b>	UN1950
<b>Proper Shipping Name</b>	Aerosols
<b>Hazard Class</b>	2.1

**15. REGULATORY INFORMATION****International Inventories**

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Petroleum Distillates, Hydrotreated light	X	X	X		X	X	X	X
Octamethylcyclotetrasiloxane	X	X	X	X	X	X	X	X
N-Butane	X	X	X	X	X	X	X	X
Stoddard solvent	X	X	X		X	X	X	X
Sorbitan Isostearate	X	X	X	X	X	X	X	X
Propane	X	X	X	X	X	X	X	X
Sodium benzoate	X	X	X	X	X	X	X	X

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

---

**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

### **US Federal Regulations**

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### **U.S. State Right-to-Know Regulations**

<b>Chemical Name</b>	<b>New Jersey</b>	<b>Massachusetts</b>	<b>Pennsylvania</b>
N-Butane 106-97-8	X	X	X
Stoddard solvent 8052-41-3	X	X	X
Propane 74-98-6	X	X	X



**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Instability</b>	<b>Special Hazards</b>
	1	0	1	Not determined
<b><u>HMIS</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Physical hazards</b>	<b>Personal Protection</b>
	Not determined	Not determined	Not determined	Not determined

**Issue Date:** 27-Dec-2011  
**Revision Date:** 11-Jun-2018  
**Revision Note:** New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**