

Common Name: STAINLESS STEEL CLEANER WITH CITRUS

Manufacturer: ITW PRO BRANDS

SDS Revision Date: 11/24/2014

SDS Format: GHS-US

Item Number(s): 20PG67, 24Y898, 2DBY2

**Manufacturer Model
Number(s):**

SDS Table of Contents

Click the desired link below to jump directly to that section in the SDS.

[1 IDENTIFICATION](#)

[2 HAZARD\(S\) IDENTIFICATION](#)

[3 COMPOSITION/INFORMATION ON INGREDIENTS](#)

[4 FIRST-AID MEASURES](#)

[5 FIRE-FIGHTING MEASURES](#)

[6 ACCIDENTAL RELEASE MEASURES](#)

[7 HANDLING AND STORAGE](#)

[8 EXPOSURE CONTROLS/PERSONAL PROTECTION](#)

[9 PHYSICAL AND CHEMICAL PROPERTIES](#)

[10 STABILITY AND REACTIVITY](#)

[11 TOXICOLOGICAL INFORMATION](#)

[12 ECOLOGICAL INFORMATION](#)

[13 DISPOSAL CONSIDERATIONS](#)

[14 TRANSPORT INFORMATION](#)

[15 REGULATORY INFORMATION](#)

[16 OTHER INFORMATION](#)

ITW PRO BRANDS

SAFETY DATA SHEET

ACC. TO HCS AND GHS

PRINTING DATE: 11/24/2014

REVIEWED ON: 11/24/2014

1 IDENTIFICATION

PRODUCT IDENTIFIER:

TRADE NAME: STAINLESS STEEL CLEANER WITH CITRUS

ARTICLE NUMBER: 345

APPLICATION OF THE SUBSTANCE / THE MIXTURE: CLEANER & POLISH

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

MANUFACTURER/SUPPLIER:
ITW PRO BRANDS
805 EAST OLD 56 HIGHWAY
OLATHE, KANSAS 66061

PHONE: 1-800-224-4860

EMERGENCY TELEPHONE NUMBER:
INFOTRAC EMERGENCY HOTLINE: 1-800-535-5053

2 HAZARD(S) IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

GHS04: GAS CYLINDER

PRESS. GAS:
H280: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

GHS08: HEALTH HAZARD

ASP. TOX. 1:
H304: MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.

GHS07: EXCLAMATION MARK

SKIN SENS. 1:
H317: MAY CAUSE AN ALLERGIC SKIN REACTION.

LABEL ELEMENTS:

GHS LABEL ELEMENTS:
THE PRODUCT IS CLASSIFIED AND LABELED ACCORDING TO THE GLOBALLY HARMONIZED SYSTEM (GHS).

HAZARD PICTOGRAMS:
GHS04: GAS CYLINDER
GHS07: EXCLAMATION MARK
GHS08: HEALTH HAZARD

SIGNAL WORD: DANGER

HAZARD-DETERMINING COMPONENTS OF LABELING:
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT
(R)-P-MENTHA-1, 8-DIENE

HAZARD STATEMENTS:
H280: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

H317: MAY CAUSE AN ALLERGIC SKIN REACTION.
H304: MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.

PRECAUTIONARY STATEMENTS:

P210: KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING.

P251:
PRESSURIZED CONTAINER: DO NOT PIERCE OR BURN, EVEN AFTER USE.

P261: AVOID BREATHING MIST/VAPOURS/SPRAY.

P280: WEAR PROTECTIVE GLOVES / EYE PROTECTION.

P301+P310:
IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER/DOCTOR.

P333+P313:
IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION.

P331: DO NOT INDUCE VOMITING.

P302+P352:
IF ON SKIN: WASH WITH PLENTY OF WATER.

P410+P412:
PROTECT FROM SUNLIGHT. DO NOT EXPOSE TO TEMPERATURES EXCEEDING
50 DEG. C/122 DEG. F.

P501:
DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL/
INTERNATIONAL REGULATIONS.

ADDITIONAL INFORMATION:
CONTAINS (R)-P-MENTHA-1,8-DIENE. MAY PRODUCE AN ALLERGIC REACTION.

HAZARD DESCRIPTION:

WHMIS-SYMBOLS:
A - COMPRESSED GAS
D2B - TOXIC MATERIAL CAUSING OTHER TOXIC EFFECTS

CLASSIFICATION SYSTEM:

NFPA RATINGS (SCALE 0-4):
HEALTH 2
FIRE 1
REACTIVITY 0

HMIS-RATINGS (SCALE 0-4):
HEALTH 2
FIRE 1
REACTIVITY 0

OTHER HAZARDS:
RESULTS OF PBT AND VPVB ASSESSMENT:
PBT: NOT APPLICABLE.

VPVB: NOT APPLICABLE.

3 COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERIZATION: MIXTURES

DESCRIPTION:

MIXTURE OF THE SUBSTANCES LISTED BELOW WITH NONHAZARDOUS ADDITIONS.

DANGEROUS COMPONENTS:

64742-47-8	DISTILLATES (PETROLEUM), HYDROTREATED LIGHT ASP. TOX. 1, H304 FLAM. LIQ. 4, H227	10-25%
72-28-5	ISOBUTANE FLAM. GAS 1, H220	2.5-10%
8042-47-5	WHITE MINERAL OIL ASP. TOX. 1, H304	2.5-10%
64742-48-9	NAPHTHA (PETROLEUM), HYDROTREATED HEAVY ASP. TOX. 1, H304 FLAM. LIQ. 4, H227	2.5-10%
74-98-6	PROPANE FLAM. GAS 1, H220 PRESS. GAS, H280	</=2.5%
5989-27-5	(R)-P-MENTHA-1,8-DIENE FLAM. LIQ. 3, H226 AQUATIC ACUTE 1, H400 AQUATIC CHRONIC 1, H410 SKIN IRRIT. 2, H315 SKIN SENS. 1, H317	<1%

4 FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES:

GENERAL INFORMATION:

TAKE AFFECTED PERSONS OUT INTO THE FRESH AIR.

SYMPTOMS OF POISONING MAY EVEN OCCUR AFTER SEVERAL HOURS; THEREFORE
MEDICAL OBSERVATION FOR AT LEAST 48 HOURS AFTER THE ACCIDENT.

AFTER INHALATION:

SUPPLY FRESH AIR; CONSULT DOCTOR IN CASE OF COMPLAINTS.

PROVIDE OXYGEN TREATMENT IF AFFECTED PERSON HAS DIFFICULTY BREATHING.

IN CASE OF IRREGULAR BREATHING OR RESPIRATORY ARREST PROVIDE ARTIFICIAL RESPIRATION.

IN CASE OF UNCONSCIOUSNESS PLACE PATIENT STABLY IN SIDE POSITION FOR TRANSPORTATION.

AFTER SKIN CONTACT:
IMMEDIATELY WASH WITH WATER AND SOAP AND RINSE THOROUGHLY.
IN CASES OF FROSTBITE, RINSE WITH PLENTY OF WATER. DO NOT REMOVE CLOTHING.
IF SKIN IRRITATION CONTINUES, CONSULT A DOCTOR.

AFTER EYE CONTACT:
REMOVE CONTACT LENSES IF WORN.

RINSE OPENED EYE FOR SEVERAL MINUTES UNDER RUNNING WATER. IF SYMPTOMS PERSIST, CONSULT A DOCTOR.

AFTER SWALLOWING:
UNLIKELY ROUTE OF EXPOSURE.

RINSE OUT MOUTH AND THEN DRINK PLENTY OF WATER.

DO NOT INDUCE VOMITING; IMMEDIATELY CALL FOR MEDICAL HELP.

A PERSON VOMITING WHILE LYING ON THEIR BACK SHOULD BE TURNED ONTO THEIR SIDE.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:
HEADACHE
ALLERGIC REACTIONS
BREATHING DIFFICULTY
DIZZINESS
CRAMP
COUGHING
FROSTBITE
NAUSEA
GASTRIC OR INTESTINAL DISORDERS WHEN INGESTED.
DISORIENTATION

DANGER:
DANGER OF PULMONARY EDEMA.
DANGER OF IMPAIRED BREATHING.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:
IF SWALLOWED OR IN CASE OF VOMITING, DANGER OF ENTERING THE LUNGS.
IF NECESSARY OXYGEN RESPIRATION TREATMENT.
TREAT FROST-BITTEN AREAS APPROPRIATELY.
CONTAINS (R)-P-MENTHA-1,8-DIENE. MAY PRODUCE AN ALLERGIC REACTION.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA:

SUITABLE EXTINGUISHING AGENTS:

CO2, EXTINGUISHING POWDER OR WATER SPRAY. FIGHT LARGER FIRES WITH WATER SPRAY OR ALCOHOL RESISTANT FOAM.

FOR SAFETY REASONS UNSUITABLE EXTINGUISHING AGENTS: NONE.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:
FORMATION OF TOXIC GASES IS POSSIBLE DURING HEATING OR IN CASE OF FIRE.
DANGER OF RECEPTACLES BURSTING BECAUSE OF HIGH VAPOR PRESSURE IF HEATED.

ADVICE FOR FIREFIGHTERS:

PROTECTIVE EQUIPMENT:
WEAR SELF-CONTAINED RESPIRATORY PROTECTIVE DEVICE.
WEAR FULLY PROTECTIVE SUIT.

ADDITIONAL INFORMATION: COOL ENDANGERED PRODUCT WITH WATER SPRAY.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

USE RESPIRATORY PROTECTIVE DEVICE AGAINST THE EFFECTS OF FUMES/DUST/AEROSOL.

WEAR PROTECTIVE EQUIPMENT. KEEP UNPROTECTED PERSONS AWAY.

ENSURE ADEQUATE VENTILATION.

PARTICULAR DANGER OF SLIPPING ON LEAKED/SPIILLED PRODUCT.

ENVIRONMENTAL PRECAUTIONS:
DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:
ABSORB LIQUID COMPONENTS WITH LIQUID-BINDING MATERIAL.
REMOVE FROM THE WATER SURFACE (E.G. SKIM OR SUCK OFF).
ENSURE ADEQUATE VENTILATION.
PICK UP MECHANICALLY.
DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO ITEM 13.
SEND FOR RECOVERY OR DISPOSAL IN SUITABLE RECEPTACLES.

REFERENCE TO OTHER SECTIONS:
SEE SECTION 7 FOR INFORMATION ON SAFE HANDLING.
SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT.
SEE SECTION 13 FOR DISPOSAL INFORMATION.

7 HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:
KEEP AWAY FROM HEAT AND DIRECT SUNLIGHT.
USE ONLY IN WELL VENTILATED AREAS.

AVOID SPLASHES OR SPRAY IN ENCLOSED AREAS.

INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES:
NO SPECIAL MEASURES REQUIRED.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

STORAGE:

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES:
OBSERVE OFFICIAL REGULATIONS ON STORING PACKAGINGS WITH PRESSURIZED
CONTAINERS.

PROVIDE VENTILATION FOR RECEPTACLES.

INFORMATION ABOUT STORAGE IN ONE COMMON STORAGE FACILITY:
STORE AWAY FROM FOODSTUFFS.
STORE AWAY FROM OXIDIZING AGENTS.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS:
STORE IN A COOL PLACE. HEAT WILL INCREASE PRESSURE AND MAY LEAD TO THE
RECEPTACLE BURSTING.

PROTECT FROM FROST.

SPECIFIC END USE(S): NO FURTHER RELEVANT INFORMATION AVAILABLE.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

ADDITIONAL INFORMATION ABOUT DESIGN OF TECHNICAL SYSTEMS:
NO FURTHER DATA; SEE ITEM 7.

CONTROL PARAMETERS:

COMPONENTS WITH LIMIT VALUES THAT REQUIRE MONITORING AT THE WORKPLACE:

64742-47-8 DISTILLATES (PETROLEUM), HYDROTREATED LIGHT:

EL (CANADA):
LONG-TERM VALUE: 200 MG/M3
SKIN

74-98-6 PROPANE:

PEL (USA):
LONG-TERM VALUE: 1800 MG/M3, 1000 PPM

REL (USA):
LONG-TERM VALUE: 1800 MG/M3, 1000 PPM

TLV (USA): REFER TO APPENDIX F

EL (CANADA):
LONG-TERM VALUE: 1000 PPM

EV (CANADA):
LONG-TERM VALUE: 1.000 PPM

LMPE (MEXICO):
LONG-TERM VALUE: 1000 PPM

ADDITIONAL INFORMATION:
THE LISTS THAT WERE VALID DURING THE CREATION WERE USED AS BASIS.

EXPOSURE CONTROLS:

PERSONAL PROTECTIVE EQUIPMENT:

GENERAL PROTECTIVE AND HYGIENIC MEASURES:
THE USUAL PRECAUTIONARY MEASURES FOR HANDLING CHEMICALS SHOULD BE FOLLOWED.
KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED.
WASH HANDS BEFORE BREAKS AND AT THE END OF WORK.
DO NOT INHALE GASES/FUMES/AEROSOLS.
AVOID CONTACT WITH THE EYES AND SKIN.

BREATHING EQUIPMENT:
SUITABLE RESPIRATORY PROTECTIVE DEVICE RECOMMENDED.

FOR SPILLS, RESPIRATORY PROTECTION MAY BE ADVISABLE.

USE SUITABLE RESPIRATORY PROTECTIVE DEVICE IN CASE OF INSUFFICIENT VENTILATION.

PROTECTION OF HANDS: PROTECTIVE GLOVES

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/THE SUBSTANCE/THE PREPARATION. SELECTION OF THE GLOVE MATERIAL ON CONSIDERATION OF THE PENETRATION TIMES, RATES OF DIFFUSION AND THE DEGRADATION

MATERIAL OF GLOVES:
THE SELECTION OF THE SUITABLE GLOVES DOES NOT ONLY DEPEND ON THE MATERIAL, BUT ALSO ON FURTHER MARKS OF QUALITY AND VARIES FROM MANUFACTURER TO MANUFACTURER. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CAN NOT BE CALCULATED IN ADVANCE AND HAS THEREFORE TO BE CHECKED PRIOR TO THE APPLICATION.

PENETRATION TIME OF GLOVE MATERIAL:
THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

EYE PROTECTION: SAFETY GLASSES

BODY PROTECTION: PROTECTIVE WORK CLOTHING

LIMITATION AND SUPERVISION OF EXPOSURE INTO THE ENVIRONMENT:
NO FURTHER RELEVANT INFORMATION AVAILABLE.

9 PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

GENERAL INFORMATION:

APPEARANCE:

FORM: AEROSOL

COLOR: WHITE

ODOR: CITRUS.

ODOR THRESHOLD: NOT DETERMINED.

PH-VALUE: NOT DETERMINED.

CHANGE IN CONDITION:

MELTING POINT/MELTING RANGE: NOT APPLICABLE, AS AEROSOL.

BOILING POINT/BOILING RANGE: NOT APPLICABLE, AS AEROSOL.

FLASH POINT: NOT APPLICABLE, AS AEROSOL.

FLAMMABILITY (SOLID, GASEOUS): NOT APPLICABLE.

AUTO-IGNITION TEMPERATURE: NOT DETERMINED.

DECOMPOSITION TEMPERATURE: NOT DETERMINED.

AUTO IGNITING: PRODUCT IS NOT SELF-IGNITING.

DANGER OF EXPLOSION: NOT DETERMINED.

EXPLOSION LIMITS:

LOWER: NOT DETERMINED.

UPPER: NOT DETERMINED.

VAPOR PRESSURE AT 21 DEG. C (70 DEG. F): 93 PSIG

DENSITY AT 20 DEG. C (68 DEG. F): 0.94 G/CM³ (7.844 LBS/GAL)

RELATIVE DENSITY: NOT DETERMINED.

VAPOUR DENSITY: >1 (AIR=1)

EVAPORATION RATE: NOT APPLICABLE.

SOLUBILITY IN/MISCIBILITY WITH WATER: FULLY MISCIBLE.

PARTITION COEFFICIENT (N-OCTANOL/WATER): NOT DETERMINED.

VISCOSITY:

DYNAMIC: NOT DETERMINED.

KINEMATIC: NOT DETERMINED.

SOLVENT CONTENT:

VOC CONTENT: 15.00%

OTHER INFORMATION: NO FURTHER RELEVANT INFORMATION AVAILABLE.

10 STABILITY AND REACTIVITY

REACTIVITY:

CHEMICAL STABILITY:

THERMAL DECOMPOSITION / CONDITIONS TO BE AVOIDED:
NO DECOMPOSITION IF USED AND STORED ACCORDING TO SPECIFICATIONS.

POSSIBILITY OF HAZARDOUS REACTIONS:
TOXIC FUMES MAY BE RELEASED IF HEATED ABOVE THE DECOMPOSITION POINT.
REACTS WITH OXIDIZING AGENTS.

CONDITIONS TO AVOID: KEEP AWAY FROM HEAT AND DIRECT SUNLIGHT.

INCOMPATIBLE MATERIALS: NO FURTHER RELEVANT INFORMATION AVAILABLE.

HAZARDOUS DECOMPOSITION PRODUCTS: HYDROCARBONS

11 TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS:

ACUTE TOXICITY:

LD/LC50 VALUES THAT ARE RELEVANT FOR CLASSIFICATION:

64742-47-8 DISTILLATES (PETROLEUM), HYDROTREATED LIGHT:

ORAL:

LD50: >5000 MG/KG (RAT)

DERMAL:

LD50: >2000 MG/KG (RABBIT)

5989-27-5 (R)-P-MENTHA-1,8-DIENE:

ORAL:

LD50: 4400 MG/KG (RAT)

PRIMARY IRRITANT EFFECT:

ON THE SKIN: NO IRRITANT EFFECT.

ON THE EYE: NO IRRITATING EFFECT.

SENSITIZATION:

SENSITIZING EFFECT BY SKIN CONTACT IS POSSIBLE WITH PROLONGED EXPOSURE.

SUBACUTE TO CHRONIC TOXICITY:
MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.

ADDITIONAL TOXICOLOGICAL INFORMATION:
THE PRODUCT SHOWS THE FOLLOWING DANGERS ACCORDING TO INTERNALLY APPROVED
CALCULATION METHODS FOR PREPARATIONS:
TOXIC AND/OR CORROSIVE EFFECTS MAY BE DELAYED UP TO 24 HOURS.

CARCINOGENIC CATEGORIES:

IARC (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER): SEE SECTION 15.

NTP (NATIONAL TOXICOLOGY PROGRAM): NONE OF THE INGREDIENTS IS LISTED.

OSHA-CA (OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION):
NONE OF THE INGREDIENTS IS LISTED.

REPEATED DOSE TOXICITY:
MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.
REPEATED EXPOSURES MAY RESULT IN SKIN AND/OR RESPIRATORY SENSITIVITY.

12 ECOLOGICAL INFORMATION

TOXICITY:

AQUATIC TOXICITY: NO FURTHER RELEVANT INFORMATION AVAILABLE.

PERSISTENCE AND DEGRADABILITY:
THE PRODUCT IS PARTIALLY BIODEGRADABLE. SIGNIFICANT RESIDUALS REMAIN.

BIOACCUMULATIVE POTENTIAL: NO FURTHER RELEVANT INFORMATION AVAILABLE.

MOBILITY IN SOIL: NO FURTHER RELEVANT INFORMATION AVAILABLE.

ECOTOXICAL EFFECTS:

REMARK:
HARMFUL TO FISH

DUE TO MECHANICAL ACTIONS OF THE PRODUCT (E.G. AGGLUTINATIONS) DAMAGES MAY
OCCUR.

ADDITIONAL ECOLOGICAL INFORMATION:

GENERAL NOTES:
DO NOT ALLOW UNDILUTED PRODUCT OR LARGE QUANTITIES OF IT TO REACH GROUND
WATER, WATER COURSE OR SEWAGE SYSTEM.

HARMFUL TO AQUATIC ORGANISMS

DUE TO AVAILABLE DATA ON ELIMINABILITY/DECOMPOSITION AND BIOACCUMULATION
POTENTIAL PROLONGED TERM DAMAGE OF THE ENVIRONMENT CAN NOT BE EXCLUDED.

RESULTS OF PBT AND VPVB ASSESSMENT:

PBT: NOT APPLICABLE.
VPVB: NOT APPLICABLE.

OTHER ADVERSE EFFECTS: NO FURTHER RELEVANT INFORMATION AVAILABLE.

13 DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS:

RECOMMENDATION:

MUST NOT BE DISPOSED OF TOGETHER WITH HOUSEHOLD GARBAGE. DO NOT ALLOW PRODUCT TO REACH SEWAGE SYSTEM. CONTACT WASTE PROCESSORS FOR RECYCLING INFORMATION.

THE USER OF THIS MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES. RESIDUAL MATERIALS SHOULD BE TREATED AS HAZARDOUS.

UNCLEANED PACKAGINGS:

RECOMMENDATION: DISPOSAL MUST BE MADE ACCORDING TO OFFICIAL REGULATIONS.

14 TRANSPORT INFORMATION

UN-NUMBER:

DOT, ADR, IMDG, IATA: UN1950

UN PROPER SHIPPING NAME:

| LIMITED QUANTITY FOR PACKAGES LESS THAN 30 KG (66 LB) AND INNER
| PACKAGINGS LESS THAN 1 L (0.3 GAL).

DOT: AEROSOLS

ADR: 1950 AEROSOLS

IMDG: AEROSOLS

IATA: AEROSOLS, NON-FLAMMABLE

TRANSPORT HAZARD CLASS(ES):

DOT: CLASS 2.2, NON-FLAMMABLE AND NON-TOXIC GASES

CLASS: 2 GASES

LABEL: 2.2

ADR: CLASS 2.2, NON-FLAMMABLE AND NON-TOXIC GASES

CLASS: 2 5A GASES

LABEL: 2.2

IMDG: CLASS 2.2 - NON-FLAMMABLE GASES

CLASS: 2 GASES
LABEL: 2.2

IATA: CLASS 2.2, NON-FLAMMABLE AND NON-TOXIC GASES
CLASS: 2.2
LABEL: 2.2

PACKING GROUP:
DOT, ADR, IMDG, IATA: NOT REGULATED

ENVIRONMENTAL HAZARDS:
MARINE POLLUTANT: NO

SPECIAL PRECAUTIONS FOR USER:
WARNING: GASES

DANGER CODE (KEMLER):
EMS NUMBER: F-D, S-U

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE:
NOT APPLICABLE.

TRANSPORT/ADDITIONAL INFORMATION:

DOT:
QUANTITY LIMITATIONS:
ON PASSENGER AIRCRAFT/RAIL: 75 KG
ON CARGO AIRCRAFT ONLY: 150 KG

ADR:
EXCEPTED QUANTITIES (EQ):
CODE: E0
NOT PERMITTED AS EXCEPTED QUANTITY

IMDG:
LIMITED QUANTITIES (LQ): 1L

EXCEPTED QUANTITIES (EQ):
CODE: E0
NOT PERMITTED AS EXCEPTED QUANTITY

UN "MODEL REGULATION": UN1950, AEROSOLS, 2.2

15 REGULATORY INFORMATION

SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE
SUBSTANCE OR MIXTURE:

SARA:

SECTION 355 (EXTREMELY HAZARDOUS SUBSTANCES):
NONE OF THE INGREDIENTS IS LISTED.

SECTION 313 (SPECIFIC TOXIC CHEMICAL LISTINGS):

NONE OF THE INGREDIENTS ARE LISTED.

TSCA (TOXIC SUBSTANCES CONTROL ACT): ALL INGREDIENTS ARE LISTED.

PROPOSITION 65 (CALIFORNIA):

CHEMICALS KNOWN TO CAUSE CANCER: NONE OF THE INGREDIENTS ARE LISTED.

CHEMICALS KNOWN TO CAUSE REPRODUCTIVE TOXICITY FOR FEMALES:
NONE OF THE INGREDIENTS ARE LISTED.

CHEMICALS KNOWN TO CAUSE REPRODUCTIVE TOXICITY FOR MALES:
NONE OF THE INGREDIENTS IS LISTED.

CHEMICALS KNOWN TO CAUSE DEVELOPMENTAL TOXICITY:
NONE OF THE INGREDIENTS IS LISTED.

CARCINOGENIC CATEGORIES:

EPA (ENVIRONMENTAL PROTECTION AGENCY): NONE OF THE INGREDIENTS IS LISTED.

IARC (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER):

5989-27-5 (R)-P-MENTHA-1,8-DIENE 3

TLV (THRESHOLD LIMIT VALUE ESTABLISHED BY ACGIH):
NONE OF THE INGREDIENTS IS LISTED.

NIOSH-CA (NATIONAL INSTITUTE FOR OCCUPATIONAL SAFETY AND HEALTH):
NONE OF THE INGREDIENTS IS LISTED.

STATE RIGHT TO KNOW LISTINGS: SOME INGREDIENTS LISTED.

CANADIAN SUBSTANCE LISTINGS:

CANADIAN DOMESTIC SUBSTANCES LIST (DSL): ALL INGREDIENTS ARE LISTED.

CANADIAN INGREDIENT DISCLOSURE LIST (LIMIT 0.1%):
NONE OF THE INGREDIENTS IS LISTED.

CANADIAN INGREDIENT DISCLOSURE LIST (LIMIT 1%):
NONE OF THE INGREDIENTS IS LISTED.

OTHER REGULATIONS, LIMITATIONS AND PROHIBITIVE REGULATIONS:
THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH HAZARD CRITERIA OF THE
CONTROLLED PRODUCTS REGULATIONS AND THE SDS CONTAINS ALL THE INFORMATION
REQUIRED BY THE CONTROLLED PRODUCTS REGULATIONS.

CHEMICAL SAFETY ASSESSMENT:
A CHEMICAL SAFETY ASSESSMENT HAS NOT BEEN CARRIED OUT.

16 OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT

CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP.

DATE OF PREPARATION / LAST REVISION: 11/24/2014 /

ABBREVIATIONS AND ACRONYMS:

ADR:

ACCORD EUROPEEN SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD)

IMDG: INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS

DOT: US DEPARTMENT OF TRANSPORTATION

IATA: INTERNATIONAL AIR TRANSPORT ASSOCIATION

ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS

EINECS: EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES

ELINCS: EUROPEAN LIST OF NOTIFIED CHEMICAL SUBSTANCES

CAS: CHEMICAL ABSTRACTS SERVICE (DIVISION OF THE AMERICAN CHEMICAL SOCIETY)

NFPA: NATIONAL FIRE PROTECTION ASSOCIATION (USA)

HMIS: HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (USA)

WHMIS: WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (CANADA)

VOC: VOLATILE ORGANIC COMPOUNDS (USA, EU)

LC50: LETHAL CONCENTRATION, 50 PERCENT

LD50: LETHAL DOSE, 50 PERCENT

FLAM. GAS 1: FLAMMABLE GASES, HAZARD CATEGORY 1

PRESS. GAS:

GASES UNDER PRESSURE: COMPRESSED GAS

FLAM. LIQ. 3: FLAMMABLE LIQUIDS, HAZARD CATEGORY 3

FLAM. LIQ. 4: FLAMMABLE LIQUIDS, HAZARD CATEGORY 4

SKIN IRRIT. 2: SKIN CORROSION/IRRITATION, HAZARD CATEGORY 2

SKIN SENS. 1: SENSITISATION - SKIN, HAZARD CATEGORY 1

ASP. TOX. 1: ASPIRATION HAZARD, HAZARD CATEGORY 1

AQUATIC ACUTE 1:

HAZARDOUS TO THE AQUATIC ENVIRONMENT - ACUTEHAZARD, CATEGORY 1

AQUATIC CHRONIC 1:

HAZARDOUS TO THE AQUATIC ENVIRONMENT - CHRONIC HAZARD, CATEGORY 1

SOURCES:

SDS PREPARED BY:
CHEMTEL INC.
1305 NORTH FLORIDA AVENUE
TAMPA, FLORIDA 33602-2902
USA

TOLL FREE NORTH AMERICA: 1-888-255-3924

INTL.: +01 813-248-0573

WEBSITE: WWW.CHEMTELINE.COM